


RED ONE™

SENSOR MENU MAP

BUILD 20.1.6

* Gray text and text inside menu boxes indicate camera default settings

Flowchart concept XL Films, Ltd.

VIDEO MENU BUTTON

AV MENU

VIEW

REDspace

RAW
REC 709
REDspace

AV MENU

VIDEO Menu

AV MENU

VIEWFINDER Menu

AV MENU

AUDIO Menu

AV MENU

HEADPHONE Menu

VIEWFINDER

COLOR

Unchecked

MONOCHROME
FALSE COLOR
EDGE HIGHLIGHT

VIEWFINDER

METERS Menu

VIEWFINDER

ZEBRAS Menu

VIEWFINDER

DARK DETAIL

1%

✓ = 1 to 50%

VIEWFINDER

OPEN GATE

✓ (48Hz)

ANALYSIS

METER

RGB HIST

SPOT METER
LUMA HIST
RGB HIST
MONO HIST
RAW HIST

ANALYSIS

ASSISTS

Unchecked

WAVEFORM
RGB PARADE
FOCUS ASSIST
FOCUS OVERLAY

ZEBRAS

CONFIGURE 1 Menu

ZEBRA 1

LO IRE

101

75 to 103 IRE

ZEBRAS

ENABLE 1

ZEBRA 1

HI IRE

108

93 to 108 IRE

ZEBRAS

CONFIGURE 2 Menu

ZEBRA 2

LO IRE

0

0 to 84 IRE

ZEBRAS

ENABLE 2

ZEBRA 2

HI IRE

3

5 to 93 IRE

VIDEO

LOOK Menu

VIDEO

COLOR Menu

VIDEO

GAIN Menu

VIDEO

TONE Menu

* Will changed based on DEFINE selection

TONE

CURVE

BLACK
TOE
CENTER

TONE

DEFINE

TOE

KNEE
WHITE

TONE

*TOE X

25

0 to 100

0 to 100

GAIN

MASTER

1.0

0.0 to +4.0

GAIN

RED GAIN

1.0

0.0 to +4.0

GAIN

BLUE GAIN

1.0

0.0 to +4.0

GAIN

GREEN GAIN

1.0

0.0 to +4.0

COLOR

SATURATION

1.0

0 to +2.0

COLOR

EXPOSURE

0.0

-2.0 to 4.0

COLOR

BRIGHTNESS

0.0

-10 to +10

COLOR

CONTRAST

0.0

-1.0 to +1.0

LOOK

CLEAR

LOOK

None Available

LOOK

EXPORT

AUDIO

CH 1 (LINE/MIC)

0 dB/32 dB

AUDIO

CH 2 (LINE/MIC)

0 dB/32 dB

AUDIO

CH 3 (LINE/MIC)

0 dB/32 dB

AUDIO

CH 4 (LINE/MIC)

0 dB/32 dB

ALL: LINE = +0 dB or +10 dB
MICROPHONE = +32 dB to +54 dB

HEADPHONE

VOLUME

-9 dB

-18 dB to 0 dB

HEADPHONE

VOLUME-LEFT

0 dB

-12 dB to +6 dB

HEADPHONE

VOLUME-RIGHT

0 dB

-12 dB to +6 dB

HEADPHONE

MIX


1L + 2R

3L + 4R
QUAD (1 + 2L, 3 + 4R)



RED ONE™ Flowchart concept XL Films, Ltd.
VIDEO MENU MAP
BUILD 20.1.6

* Gray text and text inside menu boxes indicate camera default settings



RED ONE™ SYSTEM MENU MAP 1 OF 3


Flowchart concept XL Films, Ltd.

BUILD 20.1.6






















* Gray text and text inside menu boxes indicate camera default settings

CONFIGURE		CONFIGURE		CONFIGURE		CONFIGURE	
RESOLUTION	TIME BASE	QUALITY	MAX	RESOLUTION	TIME BASE	QUALITY	MAX
4K 2:1	23.98	REDCODE 36	MAX	2K 2:1	23.98	REDCODE 28	✓
2K 16:9	24.00	REDCODE 36		3K ANA	24.00		
2K ANA	25.00			4K 2:1	25.00		
3K 2:1	29.97			4K 16:9	29.97		
3K 16:9	50.00			4K ANA	50.00		
	59.94				59.94		

SYSTEM MENU BUTTON



REFER TO SYSTEM MENU MAP 3 OF 3




- ✓ = RECORD
- MAGNIFY
- AUTO WB
- COLOR
- VIEW RAW
- METER
- RAMP
- TIMELAPSE
- ZEBRA 1
- ZEBRA 2
- + VOLUME 1
- VOLUME 1
- + VOLUME 2
- VOLUME 2
- + ISO
- ISO
- + SHUTTER
- SHUTTER



RED ONE™
SYSTEM MENU MAP
BUILD 20.1.6
2 OF 3

Flowchart concept XL Films, Ltd.

* Gray text and text inside menu boxes indicate camera default settings



RED ONE™
SYSTEM MENU MAP
BUILD 20.1.6
3 OF 3

Flowchart concept XL Films, Ltd.

* Gray text and text inside menu boxes indicate camera default settings